









REV.	REVISIONS REC.	DATE	REV.	REVISIONS REC.	DATE
01	更新圖框	06.06.29			
02	修正尺寸規格 🛆	08.01.28			
03	内部放寬公差	09.05.06			

DRAWN & DRAFTED BY	ZHANG WEI	TOLERANCES  0 <l≤4 din="" ditol<="" th="" ±0.1=""><th>ANGLE: 士1°</th><th colspan="4">BOBBIN EI-22 (10 PIN)</th></l≤4>		ANGLE: 士1°	BOBBIN EI-22 (10 PIN)			
CHECKED & APPROVED BY		4 <l≦16 ±0.2<br="">16<l≦63 td="" ±0.3<=""><td>PIN PITCH ±0.2</td><td>UNIT: MM</td><td>BOBBIN MATERIAL: PHENOL</td><td>IC (T375J)</td><td>UL REC. UL 94</td><td>1V-0</td></l≦63></l≦16>	PIN PITCH ±0.2	UNIT: MM	BOBBIN MATERIAL: PHENOL	IC (T375J)	UL REC. UL 94	1V-0
	PIN SHINE I	NDUSTRIAL C	0.,LTD.	ORIGIN: ZZ	PIN MATERIAL:	CP WIRE	PIN TENSION 1.5KG	
70	TEL:886-2-2299054	5 FAX:886-2-	22990546		DATE: FFB.25 '1999	DRAWING NO. P-22	202–4	REV.