

P-2832-1是在P-2832的基础上新增材质T375HF BK生产.

			, - ,						
REV.	REVISIONS REC.			DATE	REV.	RE	EVISIONS REC.		DATE
DRAWN & DRAFTED BY	GUAN XIN HAI TOLERANCES  0 <l≤4 pi<="" pin="" td="" ±0.1=""><td></td><td colspan="2">ANGLE: ±1°</td><td colspan="3">TITLE: BOBBIN ER-28</td><td></td></l≤4>			ANGLE: ±1°		TITLE: BOBBIN ER-28			
CHECKED & APPROVED BY		4 <l≦16 ±0.2<br="">16<l≦63 td="" ±0.3<=""><td>pin pitch ±0.2</td><td>UNIT:</td><td>MM</td><td>BOBBIN MATERIAL: T375H</td><td>F BK</td><td>UL REC. UL 94</td><td>4V-0</td></l≦63></l≦16>	pin pitch ±0.2	UNIT:	MM	BOBBIN MATERIAL: T375H	F BK	UL REC. UL 94	4V-0
PIN SHINE INDUSTRIAL CO.,LTD.  TEL:886-2-22990545 FAX:886-2-22990546				ORIGIN:	PIGIN: DG PIN MATERIAL: CP WIRE		PIN TENSION LOAD: 1.5kg MIN.		
				<b>\rightarrow</b>		DATE: 2024.12.06	DRAWING NO.	2832-1	REV.